

Product **11-33738@40%** **PERFUME BLUE ROSEWOOD**

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier MULTI-COMPONENT MIXTURE
Product code 11-33738@40%
FRAGRANCE PIN - BLUE ROSEWOOD
UFI :2GV8-Q8KE-R307-2682

1.2 Relevant identified uses of the substance or mixture and uses advised against
Intended Use Fragrances Perfume compound

1.3 Details of the supplier of the safety data sheet

Company Holland Aromatics B.V.
Transistorstraat 111, 1322 CL Almere
The Netherlands
Tel.+31(0)36-5 36 33 35 Fax.+31(0)365 36 55 88
Email:perfume@hollandaromatics.nl

1.4 Emergency telephone number Tel.+31 (0) 36-5 36 33 35

2. Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

H315 Causes skin irritation.Skin corrosion/irritation (SCI)Category 2
H317 May cause an allergic skin reaction.Sensitization, skin (SS 1 / 1B)Category 1
H411 Toxic to aquatic life with long lasting effects.Hazardous to the aquatic environment, long-term hazard (EH C)Category 2

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms



GHS07



GHS09

Signalword

WARNING

Hazard statements

H315 Causes skin irritation.
H317 May cause an allergic skin reaction.
H411 Toxic to aquatic life with long lasting effects.

Product **11-33738@40%** **PERFUME BLUE ROSEWOOD**
Version 9.0

Revisiondate 26-01-2023

Printdate 26-01-2023

Precautionary statements

Prevention P273 Avoid release to the environment.
P280 Wear protective gloves/protective clothing/eye protection/face protection.

Response P302+P352 IF ON SKIN: Wash with plenty of soap and water.
P332+P313 If skin irritation occurs: Get medical advice/attention.
P361 Remove/Take off immediately all contaminated clothing.

Hazardous components which must be listed on the label:

6,7-dihydro-1,1,2,3,3-pentamethyl-4(5h)-indanone (cashmeran)
3,7-dimethyl-6-octen-1-ol (dl-citronellol)
2,6-dimethyl-7-octen-2-ol
1,8-cineole
trans-3,7-dimethyl-2,6-octadien-1-ol (geraniol)
n-hexyl ortho hydroxy benzoate
7-acetyl-(1,8)-octahydro-1,1,6,7-tetramethylnaphthalene
linalool
linalyl acetate
(e)-3,3-dimethyl-5-(2,2,3-trimethyl-3-cyclopenten-1-yl)-4-penten-2-ol

2.3 Other hazards

This substance/mixture does not contain components classified as persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

3. Composition/information on ingredients

3.2 Mixtures

Hazardous components

SAFETY DATA SHEET
according to Regulation (EC) No. 1907/2006



Page 3

Product **11-33738@40%** **PERFUME BLUE ROSEWOOD**
Version 9.0 Revisiondate 26-01-2023 Printdate 26-01-2023

<u>Chemical Name</u>	<u>CAS-Nr.</u> <u>REACH reg.</u>	<u>(REGULATION (EC) No 1272/2008)</u>	<u>Concentration [%]</u>
6,7-dihydro-1,1,2,3,3-pentamethyl-4(5h)-indanone (cashmeran)	33704-61-9 01-2119977131-40-xxxx	H315Skin corrosion/irritation (SCl)Category 2 H317Sensitization, skin (SS 1 / 1B)Category 1 H319Serious eye damage/eye irritation (EDl)Category 2A H411Hazardous to the aquatic environment, long-term hazard (EH C)Category 2	0,1 - 1%
Acute toxicity estimate Acute oral toxicity 2900 mg/kg			
3,7-dimethyl-6-octen-1-ol (dl-citronello)	106-22-9 01-2119453995-23-xxxx	H315Skin corrosion/irritation (SCl)Category 2 H317Sensitization, skin (SS 1 / 1B)Category 1 H319Serious eye damage/eye irritation (EDl)Category 2A	0,1 - 1%
Acute toxicity estimate Acute oral toxicity 3450 mg/kg Acute dermal toxicity 2650 mg/kg			
2,6-dimethyl-7-octen-2-ol	18479-58-8 01-2119457274-37-xxxx	H315Skin corrosion/irritation (SCl)Category 2 H319Serious eye damage/eye irritation (EDl)Category 2A	1 - 5%
Acute toxicity estimate Acute oral toxicity 3600 mg/kg			
1,8-cineole	470-82-6 01-2119967772-24-xxxx	H226Flammable liquids (FL)Category 3 H317Sensitization, skin (SS 1 / 1B)Category 1	0,1 - 1%
Acute toxicity estimate Acute oral toxicity 2480 mg/kg			
trans-3,7-dimethyl-2,6-octadien-1-ol (geraniol)	106-24-1 01-2119552430-49-xxxx	H315Skin corrosion/irritation (SCl)Category 2 H317Sensitization, skin (SS 1 / 1B)Category 1 H318Serious eye damage/eye irritation (EDl)1	0,1 - 1%
Acute toxicity estimate Acute oral toxicity 3600 mg/kg			

SAFETY DATA SHEET
according to Regulation (EC) No. 1907/2006



Page 4

Product	11-33738@40%	PERFUME BLUE ROSEWOOD	
Version	9.0	Revisiondate	26-01-2023
		Printdate	26-01-2023
n-hexyl ortho hydroxy benzoate	6259-76-3 01-2119638275-36-xxxx	H317Sensitization, skin (SS 1 / 1B)Category 1 H400Hazardous to the aquatic environment, acute hazard (EH A)Category 1 H410Hazardous to the aquatic environment, long-term hazard (EH C)Category 1	0,1 - 1%
		M Factor	Acute 1; Chronic 1
7-acetyl-(1,8)-octahydro-1,1,6,7-tetramethylnaphthalene	54464-57-2 01-2119489989-04-xxxx	H315Skin corrosion/irritation (SCI)Category 2 H317Sensitization, skin (SS 1 / 1B)Category 1 H410Hazardous to the aquatic environment, long-term hazard (EH C)Category 1	10 - 25%
linalool	78-70-6 01-2119474016-42-xxxx	H315Skin corrosion/irritation (SCI)Category 2 H317Sensitization, skin (SS 1 / 1B)Category 1 H319Serious eye damage/eye irritation (ED)Category 2A	0,1 - 1%
		Acute toxicity estimate Acute oral toxicity	2790 mg/kg
linalyl acetate	115-95-7 01-2119454789-19-xxxx	H315Skin corrosion/irritation (SCI)Category 2 H317Sensitization, skin (SS 1 / 1B)Category 1	0,1 - 1%
(e)-3,3-dimethyl-5-(2,2,3-trimethyl-3-cyclopenten-1-yl)-4-penten-2-ol	107898-54-4 01-0000000316-81-xxxx	H315Skin corrosion/irritation (SCI)Category 2 H400Hazardous to the aquatic environment, acute hazard (EH A)Category 1 H410Hazardous to the aquatic environment, long-term hazard (EH C)Category 1	0,1 - 1%

Product **11-33738@40% PERFUME BLUE ROSEWOOD**
Version 9.0 Revisiondate 26-01-2023

Printdate 26-01-2023

For the full text of the H-Statements mentioned in this Section, see Section 16.

4. First aid measures

4.1 Description of first aid measures

General advice	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance. Do not leave the victim unattended.
If inhaled	If unconscious place in recovery position and seek medical advice. If symptoms persist, call a physician.
In case of skin contact	If on skin, rinse well with water.
In case of eye contact	In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.
If swallowed	Keep respiratory tract clear. Do NOT induce vomiting. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. Take victim immediately to hospital.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms	no data available
----------	-------------------

4.3 Indication of any immediate medical attention and special treatment needed

Treatment	no data available
-----------	-------------------

5. Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media	Dry chemical Alcohol-resistant foam Carbon dioxide (CO ₂) Water spray
Unsuitable extinguishing media	High volume water jet

5.2 Special hazards arising from the substance or mixture

Specific hazards during firefighting	Do not allow run-off from fire fighting to enter drains or water courses.
--------------------------------------	---

5.3 Advice for firefighters

Special protective equipment for fire-fighters	Wear self contained breathing apparatus for fire fighting if necessary.
Further information	Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	Use personal protective equipment.
----------------------	------------------------------------

6.2 Environmental precautions

Environmental precautions	Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.
---------------------------	---

6.3 Methods and materials for containment and cleaning up

Methods for cleaning up	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.
-------------------------	---

6.4 Reference to other sections

not applicable

7. Handling and storage

Product	11-33738@40%	PERFUME BLUE ROSEWOOD
Version	9.0	Revisiondate 26-01-2023
		Printdate 26-01-2023

7.1 Precautions for safe handling

Advice on safe handling	Avoid exposure - obtain special instructions before use. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. To avoid spills during handling keep bottle on a metal tray. Dispose of rinse water in accordance with local and national regulations.
Advice on protection against fire and explosion	Normal measures for preventive fire protection.
Temperature class	no data available
Fire-fighting class	no data available
Dust explosion class	no data available

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers	Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Electrical installations / working materials must comply with the technological safety standards.
Further information on storage conditions	no data available
Advice on common storage	no data available
German storage class	no data available
Other data	No decomposition if stored and applied as directed.

7.3 Specific end uses

Specific use(s)	no data available
-----------------	-------------------

8. Exposure controls/personal protection

8.1 Control parameters

CAMPHOR

Workingprogram : Limits Finland 2007 Limits : 0,3 parts per million Publication : Julkaisuja 2007:4
Workingprogram : Limits Denemarken 2007 Limits : 2 parts per million Publication : Arbejdstilsynet; Grænseværdier for stoffer og materialer, augustus 007 (publicatie C.0.1)
Workingprogram : Limits Frankrijk 2008 Limits : 2 parts per million Publication : Valeurs limites d'exposition professionnelle aux agents chimiques en France; INRS ED 984; juni 2008
Workingprogram : Limits Noorwegen 2010 Limits : 2 parts per million Publication : Administrative normer for forurensning i arbeidsatmosfaere; 13. utgave november 2009; Arbejdstilsynet
Workingprogram : Limits België 2009 Limits : 2 parts per million Publication : Belgisch Staatsblad 19 mei 2009; N. 2009 - 2065
Workingprogram : Limits Oostenrijk 2007 Limits : 2 parts per million Publication : Grenzwerteverordnung 2007 - GKV 2007
Workingprogram : Limits Zwitserland Limits : 2 parts per million Publication : SuvaPro Grenzwerte am Arbeitsplatz 2009
Workingprogram : Limits Verenigd Koninkrijk 2007 Limits : 2 parts per million Publication : EH40/2005
Workingprogram : Limits Spanje 2010 Limits : 2 parts per million Publication : Límites de Exposición Profesional para Agentes Químicos en España, Mayo 2010; Ministerio de Trabajo e Inmigración, INSHT
Workingprogram : Werkprogramma Herevaluatie bestaande Limits Limits : Publication : 2000/15 OSH/018

DIPROPYLENE GLYCOL

Workingprogram : Limits Zwitserland Limits : 200 milligram per kubieke meter inhaleerbare fractie Publication : SuvaPro Grenzwerte am Arbeitsplatz 2009
Workingprogram : Limits Duitsland-AGS Limits : 67 milligram per kubieke meter inhaleerbare fractie Publication : TRGS 900

LIMONENE

Workingprogram : Werkprogramma Overname buitenlandse Limits (dossier 11) Limits : 110 milligram per kubieke meter Publication : 38975
Workingprogram : Limits Duitsland-AGS Limits : 20 parts per million Publication : TRGS 900
Workingprogram : Limits Zwitserland Limits : 20 parts per million Publication : SuvaPro Grenzwerte am Arbeitsplatz 2009
Workingprogram : Limits Noorwegen 2010 Limits : 25 parts per million Publication : Administrative normer for forurensning i arbeidsatmosfaere; 13. uitgave november 2009; Arbejdstilsynet
Workingprogram : Limits Noorwegen 2010 Limits : 25 parts per million Publication : Administrative normer for forurensning i arbeidsatmosfaere; 13. uitgave november 2009; Arbejdstilsynet

Product **11-33738@40% PERFUME BLUE ROSEWOOD**
Version **9.0** Revisiondate **26-01-2023** Printdate **26-01-2023**

Workingprogram : Limits Finland 2007 Limits : 25 parts per million Publication : Julkaisuja 2004:4

PARA CYMENE

Workingprogram : Limits Denmark 2007 Limits : 25 parts per million Publication : Arbejdstilsynet; Grænseværdier for stoffer og materialer, augustus 2007 (publicatie C.0.1)

Workingprogram : Limits Sweden 2005 Limits : 25 parts per million Publication : AFS 2005:17

PINENE ALPHA

Workingprogram : Limits België 2009 Limits : 20 parts per million Publication : Belgisch Staatsblad 19 mei 2009; N. 2009- -2065

Workingprogram : Limits Sweden 2005 Limits : 25 parts per million Publication : AFS 2005:17

Workingprogram : Limits Noorwegen 2010 Limits : 25 parts per million Publication : Administrative normer for forurensning i arbeidsatmosfaere; 13. utgave november 2009; Arbejdstilsynet

PINENE BETA

Workingprogram : Limits België 2009 Limits : 20 parts per million Publication : Belgisch Staatsblad 19 mei 2009; N. 2009- -2065

Workingprogram : Limits Noorwegen 2010 Limits : 25 parts per million Publication : Administrative normer for forurensning i arbeidsatmosfaere; 13. utgave november 2009; Arbejdstilsynet

Workingprogram : Limits Sweden 2005 Limits : 25 parts per million Publication : AFS 2005:17

8.2 Exposure controls

Personal protective equipment

Hand protection	Use protective gloves. Gloves must comply with standard EN 374-1/2/3. Suitable material: Nitrile Breakthrough time (maximum wearing time): >30 min. Thickness of the material: 0.13 mm
Eye protection	Eye wash bottle with pure water Tightly fitting, approved safety goggles with side shields with standard EN166. Wear face-shield and protective suit for abnormal processing problems.
Skin and body protection	impervious clothing Choose body protection according to the amount and concentration of the dangerous substance at the work place.
Hygiene measures	When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.

Environmental exposure controls

General advice	Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.
----------------	---

9. Physical and chemical properties

9.1 Information on basic physical and chemical properti

Physical state	liquid
Form	liquid
Color	not determined
Odor	not determined
Odour Threshold	not applicable
Flash point	>100°C
Lower explosion limit	not determined
Upper explosion limit	not determined
Flammability (solid, gas)	not applicable
Oxidizing properties	not applicable
Autoignition temperature	not determined
Decomposition temperature	no data available
pH	not determined
Melting point	not determined
Boiling point	not determined
Vapour pressure	not determined
Density	not determined
Bulk density	not applicable
Water solubility	not determined
Solubility/qualitative	practically insolubl
Partition coeff noctanol/H2O	not applicable
Viscosity, kinematic	no data available
Relative vapour density	no data available

Product	11-33738@40%	PERFUME BLUE ROSEWOOD	
Version	9.0	Revisiondate	26-01-2023
	Evaporation rate	no data available	Printdate
	Explosive properties	no data available	26-01-2023

10. Stability and reactivity

10.1 Reactivity	none
10.2 Chemical stability	The product is chemically stable.
10.3 Possibility of hazardous reactions	
Hazardous reactions	No decomposition if stored and applied as directed.
10.4 Conditions to avoid	
Conditions to avoid	no data available
10.5 Incompatible materials	
Materials to avoid	no data available
10.6 Hazardous decomposition products	
Hazardous decomposition products	no data available
Thermal decomposition	no data available

11. Toxicological information

11.1 Information on toxicological effects

Acute orale toxicity	Estimated Acute toxicity Dosis mg/kg :	2445
Method	Calculationmethod	
Acute inhalation toxicity	Estimated Acute toxicity Dosis mg/ltr :	
Method	Calculationmethod	No data is available on the product itself.
Acute dermale toxicity	Estimated Acute toxicity Dosis mg/kg :	3191
Method	Calculationmethod	
Acute toxicity (other routes of administration)		No data is available on the product itself.
Skin corrosion/irritation		
Skin irritation		No data is available on the product itself.
Serious eye damage/eye irritation		
Eye irritation		No data is available on the product itself.
Respiratory or skin sensitization		
Sensitisation		No data is available on the product itself.
Germ cell mutagenicity		
Germ cell mutagenicity		No data is available on the product itself.
Carcinogenicity		
Carcinogenicity		No data is available on the product itself.
Reproductive toxicity		
Reproductive toxicity		No data is available on the product itself.
Target Organ Systemic Toxicant - Single exposure		
Target Organ Systemic Toxicant - Single exposure		No data is available on the product itself.
Target Organ Systemic Toxicant - Repeated exposure		
Target Organ Systemic Toxicant - Repeated exposure		No data is available on the product itself.
Aspiration hazard		
Aspiration toxicity		No data is available on the product itself.
Phototoxicity		
Phototoxicity		No data is available on the product itself.
Further information		no data available

12. Ecological information

12.1 Toxicity

Product	11-33738@40%	PERFUME BLUE ROSEWOOD	
Version	9.0	Revisiondate	26-01-2023
		Printdate	26-01-2023

Toxicity to fish	no data available
Toxicity to daphnia and other aquatic invertebrates.	no data available
Toxicity to algae	no data available

12.2 Persistence and degradability

Biodegradability	no data available
Biodegradability BO (Biodegradable Organics) %	37,9

12.3 Bioaccumulative potential

Bioaccumulation	no data available
-----------------	-------------------

12.4 Mobility in soil

Mobility	no data available
Distribution among environmental compartments	no data available
Additional advice Environmental fate and pathways	no data available
Physico-chemical removability	no data available

12.5 Results of PBT and vPvB assessment

no data available

12.6 Other adverse effects

Biochemical Oxygen Demand (BOD)	no data available
Dissolved organic carbon (DOC)	no data available
Chemical Oxygen Demand (COD)	no data available
Adsorbed organic bound halogens (AOX)	no data available
Additional ecological information	

13. Disposal considerations

An environmental hazard cannot be excluded in the event of unprofessional handling or di

13.1 Waste treatment methods

Product	The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container. Send to a licensed waste management company.
Contaminated packaging	Empty remaining contents.
Dispose of as unused product.	Do not re-use empty containers. Dispose of in accordance with local regulations.

14. Transport information

ADR/RID/ADN	UNnumber	UN-number 3082 (Environmentally hazardous substance, liquid, N.O.S.)
	Description of Goods	(7-acetyl-(1,8)-octahydro-1,1,6,7-tetramethylnaphthalene & n-hexyl ortho hydroxy benzoate)
	Transportclass and packaging group	9 PG III
	Dangerous for the environment	yes
	Additional information	Special Provision 375: this product is not subject to the other provisions of the ADR when transported in sizes of ≤5L or ≤5kg, provided that the packaging complies with the general provisions of 4.1.1.1, 4.1.1.2 and 4.1.1.4 to 4.1.1.8.

IATA/ICAO	UNnumber	UN-number 3082 (Environmentally hazardous substance, liquid, N.O.S.)
	Description of Goods	(7-acetyl-(1,8)-octahydro-1,1,6,7-tetramethylnaphthalene & n-hexyl ortho hydroxy benzoate)
	Transportclass and packaging group	9 PG III
	Dangerous for the environment	yes
	Additional information	Special Provision A197: this product is not subject to the other provisions of IATA when transported in sizes of ≤5L or ≤5kg, provided that the packaging complies with the general provisions of 5.0.2.4.1, 5.0.2.6.1.1 and 5.0.2.8 .

Product **11-33738@40%** **PERFUME BLUE ROSEWOOD**
Version 9.0 Revisiondate **26-01-2023** Printdate **26-01-2023**

IMDG
UNnumber UN-number 3082 (Environmentally hazardous substance, liquid, N.O.S.)
Description of Goods (7-acetyl-(1,8)-octahydro-1,1,6,7-tetramethylnaphthalene & n-hexyl ortho hydroxy benzoate)
Transportclass and packaging group 9 PG III
marine pollution yes
Additional information IMDG 2.10.2.7: this product is not subject to the other provisions of the IMDG when transported in sizes of ≤5L or ≤5kg, provided that the packages comply with the general provisions of 4.1.1.1, 4.1.1.2 and 4.1.1.4 to 4.1.1.8.

15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

ABM Cat Water hazard class NL (ABM) Cat A2
WGK WGK2

15.2 Chemical Safety Assessment

A chemical safety assessment is not required for this substa

16. Other information

Full text of H-Statements referred to under sections 2 and 3.

H226 Flammable liquid and vapour.
H315 Causes skin irritation.
H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.
H319 Causes serious eye irritation.
H400 Very toxic to aquatic life.
H410 Very toxic to aquatic life with long lasting effects.
H411 Toxic to aquatic life with long lasting effects.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.